
EFEMERIS

Evaluation chez la Femme Enceinte des MEDicaments et de leurs RISques

The first French database evaluating drug risks during pregnancy

French women are heavy drug users, even through pregnancy. Nevertheless, drug intake during pregnancy can lead to congenital malformations or neonatal pathologies. Thalidomide or diethylstilboestrol (Distilbène®) are some of memorable cases. Data about teratogenic risks are limited; physicians are often deprived of relevant and sufficient information regarding medicinal prescriptions during pregnancy.

In 2005, in Haute-Garonne (a department in south-west France), we set up a database, EFEMERIS, evaluating the risk of medicine intake during pregnancy. EFEMERIS merges four databases (Figure 1): 1- the French health insurance database (drugs prescribed before and during pregnancy), 2- the mother and child protection centre database (newborn health) 3- the multidisciplinary prenatal diagnostic centre database (medical pregnancy interruptions) and 4- medical data from the hospital (pregnancy interruptions and hospitalization of mothers). Currently, EFEMERIS records anonymous data concerning more than 128,000 pregnancy outcomes, who delivered in Haute-Garonne between July, 1 2004 and December, 31 2016.




Figure 1. EFEMERIS DESIGN.

EFEMERIS is the first French database on prescriptions during pregnancy in general population which enables the study of prescribed and reimbursed medicines during pregnancy and pregnancy outcomes.

Prescribing practices over the time can be studied through EFEMERIS. The database allows the evaluation of drug risks for the foetus, plays a role in safety alerts on malformations or on the contrary highlights potential innocuousness of misjudged medicines.

Consequences in terms of prevention of malformations, neonatal pathologies, children's handicap, and costs reduction linked to these pathologies are significant.

Several studies have been conducted in EFEMERIS database to evaluate drug risks during pregnancy, especially risks for phloroglucinol (Spasfon[®]), benfluorex (Mediator[®]), or influenza H1N1 vaccination.

Publications

1. Prescription of asthma medications before and during pregnancy in France: An observational drug study using the EFEMERIS database. Beau AB, Didier A, Hurault-Delarue C, Montastruc JL, Lacroix I, Damase-Michel C. *J Asthma*. 2016 Sep.
2. Psychomotor developmental effects of prenatal exposure to psychotropic drugs: a study in EFEMERIS database. Hurault-Delarue C, Damase-Michel C, Finotto L, Guitard C, Vayssière C, Montastruc JL, Montastruc F, Lacroix I. *Fundam Clin Pharmacol*. 2016 Oct.
3. Atropinic burden of drugs during pregnancy and psychological development of children: a cohort study in the EFEMERIS database. Beau AB, Montastruc JL, Lacroix I, Montastruc F, Hurault-Delarue C, Damase-Michel C. *Br J Clin Pharmacol*. 2016 Apr 16.
4. How to take into account exposure to drugs over time in pharmacoepidemiology studies of pregnant women? Hurault-Delarue C, Chouquet C, Savy N, Lacroix I, Beau AB, Montastruc JL, Damase-Michel C. *Pharmacoepidemiol Drug Saf*. 2016 Mar 27.
5. First epidemiological data for venotonics in pregnancy from the EFEMERIS database. Lacroix I, Beau AB, Hurault-Delarue C, Bouilhac C, Petiot D, Vayssière C, Vidal S, Montastruc JL, Damase-Michel C. *Phlebology*. 2016 Jun;31(5):344-8.
6. Hurault-Delarue C, Montastruc J-L, Beau A-B, Lacroix I, Damase-Michel C. Pregnancy outcome in women exposed to dopamine agonists during pregnancy: a pharmacoepidemiology study in EFEMERIS database. *Arch Gynecol Obstet*. 2014 Aug 1;290(2):263–70.
7. Charlton RA, Neville AJ, Jordan S, Pierini A, Damase-Michel C, Klungsøyr K, et al. Healthcare databases in Europe for studying medicine use and safety during pregnancy. *Pharmacoepidemiol Drug Saf*. 2014 Jun;23(6):586–94.
8. Beau A-B, Hurault-Delarue C, Vial T, Montastruc J-L, Damase-Michel C, Lacroix I. Safety of oseltamivir during pregnancy: a comparative study using the EFEMERIS database. *BJOG*. 2014 Jun;121(7):895–900.
9. Beau AB, Hurault-Delarue C, Vidal S, Guitard C, Vayssière C, Petiot D, et al. Pandemic A/H1N1 influenza vaccination during pregnancy: a comparative study using the EFEMERIS database. *Vaccine*. 2014 Mar 5;32(11):1254–8.

10. Damase-Michel C, Lacroix I, Hurault-Delarue C, Beau A-B, Montastruc J-L, les partenaires d'EFEMERIS. Drug in pregnancy: studies in the French database EFEMERIS. *Therapie*. 2014 Feb;69(1):91–100.
11. Lacroix I, Hurault-Delarue C, Montastruc J-L, Damase-Michel C. Can benfluorex induce congenital malformations? *Diabetes & Metabolism*. 2012 Oct;38(4):373–4.
12. Berard A, Sheehy O, Damase-Michel C, Crespin S. Paroxetine Use During Pregnancy and Perinatal Outcomes Including Types of Cardiac Malformations in Quebec and France: A Short Communication. *Current Drug Safety*. 2012 Sep 1;7(3):207–10.
13. Lacroix I, Hurault-Delarue C, Kessler S, Guitard C, Vidal S, Albouy-Cossard C, et al. [First epidemiologic data about phloroglucinol exposure during first trimester of pregnancy]. *Gynecol Obstet Fertil*. 2011 Dec;39(12):694–7.
14. Hurault-Delarue C, Lacroix I, Vidal S, Montastruc J-L, Damase-Michel C. Drugs in pregnancy: study in the EFEMERIS database (2004 to 2008). *Gynecol Obstet Fertil*. 2011 Oct;39(10):554–8.
15. Lacroix I, Hurault C, Sarramon MF, Guitard C, Berrebi A, Grau M, et al. Prescription of drugs during pregnancy: a study using EFEMERIS, the new French database. *European Journal of Clinical Pharmacology*. 2009 Apr 14;65(8):839–46.